

# ANAPHYLAXIS MANAGEMENT POLICY

The *Education and Care Services National Regulations* requires approved providers to ensure services have policies and procedures in place for medical conditions including anaphylaxis. Anaphylaxis is a severe and sometimes sudden allergic reaction which is potentially life threatening. It can occur when a person is exposed to an allergen (such as food or an insect sting). Reactions usually begin within minutes of exposure and can progress rapidly over a period of up to two hours or more. Anaphylaxis should always be treated as a medical emergency, requiring immediate treatment. Most cases of anaphylaxis occur after a person is exposed to the allergen to which they are allergic, usually a food, insect sting or medication. Any anaphylactic reaction always requires an emergency response.

### NATIONAL QUALITY STANDARD (NQS)

QUALITY AREA 2: CHILDREN'S HEALTH AND SAFETY				
2.1.1	Wellbeing and comfort	Each child's wellbeing and comfort is provided for, including appropriate opportunities to meet each child's needs for sleep, rest and relaxation.		
2.1.2	Health practices and procedures	Effective illness and injury management and hygiene practices are promoted and implemented.		
2.2	Safety	Each child is protected.		
2.2.1	Supervision	At all times, reasonable precautions and adequate supervision ensure children are protected from harm and hazard.		
2.2.2	Incident and emergency management	Plans to effectively manage incidents and emergencies are developed in consultation with relevant authorities, practiced and implemented.		

EDUCATION AND CARE SERVICES NATIONAL REGULATIONS		
12	Meaning of a serious incident	
86	Notification to parents of incident, injury, trauma and illness	
87	Incident, injury, trauma and illness record	
89	First aid kits	
90	Medical conditions policy	
90(1)(iv)	Medical Conditions Communication Plan (Risk Minimisation Plan)	
91	Medical conditions policy to be provided to parents	





92	Medication record
93	Administration of medication
94	Exception to authorisation requirement—anaphylaxis or asthma emergency
95	Procedure for administration of medication
96	Self-administration of medication
101	Conduct of risk assessment for excursion
136	First aid qualifications
162	Health information to be kept in enrolment record
168	Education and care service must have policies and procedures
170	Policies and procedures to be followed
171	Policies and procedures to be kept available
173(2)(h)	Prescribed information to be displayed- a notice stating that a child who has been diagnosed as at risk of anaphylaxis is enrolled at the service
174	Time to notify certain circumstances to Regulatory Authority

### **PURPOSE**

We aim to minimise the risk of an anaphylactic reaction occurring at our Out of School Hours Care (OSHC) Service by following our *Anaphylaxis Management Policy* and implementing risk minimisation strategies. We ensure all staff members are adequately trained to respond appropriately and competently to an anaphylactic reaction.

#### **SCOPE**

This policy applies to children, families, staff, management, the approved provider, nominated supervisor, students and visitors of the OSHC Service.

#### **DUTY OF CARE**

Our Service has a legal responsibility to take reasonable steps to provide

- a. a safe environment for children free of foreseeable harm and
- b. adequate Supervision of children





Our focus is keeping children safe and promoting the health, safety and wellbeing of children attending our OSHC Service. Staff members including relief staff need to be aware of children at the OSHC Service who suffer from allergies that may cause an anaphylactic reaction. Management will ensure all staff are aware of the location of children's Australasian Society of Clinical Immunology and Allergy (ASCIA) Action Plans, risk minimisation plan and required medication.

#### **BACKGROUND**

Anaphylaxis is a severe, rapidly progressing allergic reaction that is potentially life threatening. The most common allergens in children are:

- Peanuts
- Eggs
- Tree nuts (e.g., cashews)
- Cow's milk
- Fish and shellfish
- Wheat
- Soy
- Sesame
- Certain insect stings (particularly bee stings)

Signs of anaphylaxis (severe allergic reaction) include any 1 of the following:

- difficult/noisy breathing
- swelling of tongue
- swelling/tightness in throat
- difficulty talking/and or a hoarse voice
- wheeze or persistent cough
- persistent dizziness or collapse
- pale and floppy (young children)
- abdominal pain and/or vomiting (signs of a severe allergic reaction to insects)

The key to the prevention of anaphylaxis and response to anaphylaxis within the Out of School Hours
Care Service is awareness and knowledge of those children who have been diagnosed as at risk,
awareness of allergens, and the implementation of preventative measures to minimise the risk of
exposure to those allergens. It is important to note however, that despite implementing these measures,





the possibility of exposure cannot be completely eliminated. Communication between the OSHC Service and families is vital in understanding the risks and helping children avoid exposure.

Adrenaline given through an adrenaline autoinjector (such as an EpiPen® or Anapen®) into the muscle of the outer mid-thigh is the most effective first aid treatment for anaphylaxis.

#### **IMPLEMENTATION**

We will involve all educators, families and children in regular discussions about medical conditions and general health and wellbeing throughout our curriculum. Children at risk of anaphylaxis will not be enrolled into the OSHC Service until the child's personal ASCIA Action Plan is completed and signed by their medical practitioner. A risk minimisation and communication plan must be developed with parents/guardians to ensure risks are minimised and strategies developed for minimising any risk to the child.

The <u>ASCIA Action Plans</u> meet the requirements of regulation 90 as a medical management plan. It is imperative that all educators and volunteers at the Service follow a child's ASCIA Action Plan in the event of an incident related to a child's specific health care need, allergy, or medical condition.

The OSHC Service will adhere to privacy and confidentiality procedures when dealing with individual health needs, including having families provide written permission to display the child's ASCIA Action Plan in prominent positions within the Service.

#### THE APPROVED PROVIDER/NOMINATED SUPERVISOR WILL ENSURE:

- that as part of the enrolment process, all parents/guardians are asked whether their child has been diagnosed as being at risk of anaphylaxis or has severe allergies and clearly document this information on the child's enrolment record
- if the answer is *yes*, the parents/guardians are required to provide an ASCIA Action Plan signed by a registered medical practitioner prior to their child's commencement at the Service
- parents/guardians of an enrolled child who is diagnosed with anaphylaxis are provided with a copy
  of the Anaphylaxis Management Policy, Medical Conditions Policy and Administration of Medication
  Policy
- that all staff members have completed ACECQA approved first aid training at least every 3 years and this is recorded with each staff member's certificate held on the Service's premises
- at least one educator or nominated supervisor with a current accredited first aid certificate,
   emergency asthma management and emergency anaphylaxis management certificate (as approved by ACECQA) is in attendance at all times education and care is provided by the Service





- that staff are provided with ASCIA anaphylaxis e-training (every two years) to provide consistent and
  evidence-based approaches to prevention, recognition and emergency treatment of anaphylaxis
  including training in the administration of the adrenaline auto-injection device (not mandated, but
  recommended as best practice)
- all staff have undertaken training in administration of the adrenaline auto injection device and cardiopulmonary resuscitation (CPR) at least every 12 months
- that all staff members are aware of
  - o any child at risk of anaphylaxis enrolled in the service
  - o the child's individual ASCIA Action Plan
  - o symptoms and recommended immediate action for anaphylaxis and allergic reactions and,
  - o the location of their EpiPen® / Anapen ® device
- that a copy of this policy is provided and reviewed during each new staff member's induction process
- that updated information, resources, and support for managing allergies and anaphylaxis are regularly provided for families
- anaphylaxis risk management plans are developed prior to any excursion or incursion consistent with Regulation 101
- ensure that at least one general use adrenaline injector is available at the Service in case of an emergency - Regulation 89. First Aid Kits [National Allergy Strategy best practice]

# MANAGEMENT STRATEGIES WHERE A SCHOOL AGED CHILD IS DIAGNOSED AT RISK OF ANAPHYLAXIS. THE APPROVED PROVIDER/NOMINATED SUPERVISOR WILL:

- meet with the parents/guardians to begin the communication process for managing the child's medical condition
- not permit the child to begin education and care until an ASCIA Action Plan, signed by a medical practitioner, is provided by the family
- develop and document a risk minimisation plan in collaboration with parents/guardian, by assessing
  the potential for accidental exposure to allergens while the child at risk of anaphylaxis is in the care
  of the Service (particular attention will be given to mealtimes as this is a significant risk for children
  with food allergies)
- ensure the ASCIA Action Plan includes:
  - o specific details of the child's diagnosed medical condition
  - supporting documentation (if required)
  - o a recent photo of the child





- o triggers for the allergy/anaphylaxis (signs and symptoms)
- o first aid/emergency action that will be required
- o administration of adrenaline autoinjectors
- o contact details and signature of the registered medical practitioner
- o date the plan should be reviewed
- ensure that a child who has been prescribed an adrenaline auto-injection device is **not** permitted to
  attend the OSHC Service without a complete auto-injection device kit (which must contain a copy
  the child's anaphylaxis medical management plan)
- ensure that all staff in the Service know the location of the auto-injection device kit
- collaborate with parents/guardians to develop and implement a communication plan and encourage ongoing communication regarding the status of the child's allergies, this policy, and its implementation
- request parental permission to display a child's ASCIA Action Plan in key locations at the OSHC
   Service, for example, in the main area of the OSHC service, near the kitchen, and / or near the medication cabinet
- display ASCIA First Aid Plan for Anaphylaxis (ORANGE) in key locations in the OSHC Service
- ensure that all staff responsible for the preparation of food are trained in managing the provision of
  meals for a child with allergies, including high levels of care in preventing cross contamination during
  storage, handling, preparation, and serving of food. Training will also be given in planning
  appropriate menus including identifying written and hidden sources of food allergens on food labels
- ensure supervision is managed consistently across mealtimes to maintain effective risk minimisation strategies
- ensure that a notice is displayed prominently in the main entrance of the OSHC Service stating that a child diagnosed at risk of anaphylaxis is being cared for or educated at the Service, and providing details of the allergen/s (Regulation 173(2)(f))
- ensure that all relief staff members in the OSHC Service have completed training in anaphylaxis
  management including the administration of an adrenaline auto-injection device, awareness of the
  symptoms of an anaphylactic reaction and awareness of any child at risk of anaphylaxis, the child's
  allergies, the individual anaphylaxis medical management action plan and the location of the
  auto-injection device kit
- ensure risk assessments for excursions consider the risk of anaphylaxis
- ensure that a staff member accompanying children outside the OSHC Service carries a copy of the anaphylaxis medical management action plan with the auto-injection device kit





 ensure an up-to-date copy of the medical management plan and/or ASCIA action plan is provided whenever any changes have occurred to the child's diagnosis or treatment.

#### SELF-ADMINISTRATION OF MEDICATION

We do not allow children to carry/store their own adrenaline auto-injector in their bag at our OSHC service. Where a child carries their own adrenaline auto-injector (at their parent/guardian request), the OSHC staff will collect the adrenaline auto-injector upon arrival and return it upon departure from LPS OSHC. It will be securely stored with the other adrenaline auto-injector devices in the main OSHC office at all times during the session.

OSHC staff will collect the auto-injection device kit from the school sick bay prior to each session that the child attends. If a child attends a holiday program *and they do not attend Laurimar Primary School,* the auto-injection device kit must be provided by the parent/guardian on the day of attendance. (See Administration of Medication Policy) [Regulation 96]

#### **EDUCATORS WILL:**

- read and comply with the Anaphylaxis Management Policy, Medical Conditions Policy and Administration of Medication Policy
- ensure that a complete auto-injection device kit (which must contain a copy the child's ASCIA Action
  Plan signed by the child's registered medical practitioner) is provided by the parent/guardian for the
  child while at the OSHC Service
- ensure a copy of the child's ASCIA Action Plan is visible and known to staff, visitors, and students in the OSHC Service
- always follow the child's ASCIA Action Plan in the event of an allergic reaction, which may progress to anaphylaxis
- practice the administration procedures of the adrenaline auto-injection device using an auto-injection device trainer and 'anaphylaxis scenarios' on a regular basis, preferably quarterly
- ensure the child at risk of anaphylaxis only eats food that has been prepared according to the parents' or guardians' instructions
- always check a meal before it is given to a child with anaphylaxis
- · ensure tables and bench tops are washed down effectively after eating
- increase supervision of a child at risk of anaphylaxis on special occasions such as excursions, incursions, parties and family days
- ensure that the auto-injection device kit is:





- o stored in a location that is known to all staff, including relief staff
- o NOT locked in a cupboard
- o easily accessible to adults but inaccessible to children
- o stored in a cool dark place at room temperature
- o NOT refrigerated
- o contains a copy of the child's medical management plan
- ensure that the auto-injection device kit containing a copy of the ASCIA Action Plan for each child at risk of anaphylaxis is carried by a staff member accompanying the child when the child is removed from the OSHC Service e.g., on excursions that this child attends or during an emergency evacuation
- regularly check and record the adrenaline auto-injection device expiry date. (The manufacturer will
  only guarantee the effectiveness of the adrenaline auto-injection device to the end of the
  nominated expiry month)

#### **FAMILIES WILL:**

- inform staff at the OSHC Service, either on enrolment or on diagnosis, of their child's allergies
- provide staff with an ASCIA Action Plan anaphylaxis medical management plan giving written consent to use the auto-injection device in line with this action plan and signed by the registered medical practitioner
- develop an anaphylaxis risk minimisation plan in collaboration with the Nominated Supervisor and other Service staff
- provide staff with a complete auto-injection device kit. OSHC staff will collect the auto-injection
  device from the school sick bay prior to each session that the child attends and return it to the sick
  bay upon the session ending. If a child attends a holiday program and they do not attend Laurimar
  Primary School, the auto-injection device kit must be provided by the parent/guardian on the day of
  attendance
- comply with the Service's policy that a child who has been prescribed an adrenaline auto-injection device is not permitted to attend the Service or its programs without that device
- maintain a record of the adrenaline auto-injection device expiry date to ensure it is replaced prior to expiry
- assist staff by offering information and answering any questions regarding their child's allergies
- communicate all relevant information and concerns to staff, for example, any matter relating to the health of the child
- notify the OSHC Service if their child has had a severe allergic reaction while not at the serviceeither at home or at another location





- read and be familiar with this policy
- notify staff of any changes to their child's allergy status and provide a new ASCIA Action Plan in accordance with these changes

## If a child suffers from an anaphylactic reaction the Service and staff will:

- o Follow the child's ASCIA Action Plan administer an adrenaline injector
- o Call an ambulance immediately by dialling 000
- o Commence first aid measures
- o Record the time of administration of adrenaline autoinjector
- o If after 5 minutes there is no response, a second adrenaline autoinjector should be administered to the child if available
- Ensure the child experiencing anaphylaxis is lying down or sitting with legs out flat and is not upright
- o Do not allow the child to stand or walk (even if they appear well)
- o Contact the parent/guardian when practicable
- o Contact the emergency contact if the parents or guardian cannot be contacted when practicable
- o Notify the regulatory authority within 24 hours

# In the event where a child who has **not** been diagnosed as at risk of anaphylaxis, but who appears to be having an anaphylactic reaction:

- o Call an ambulance immediately by dialling 000
- o Commence first aid measures
- o Administer an adrenaline autoinjector
- o Contact the parent/guardian when practicable
- o Contact the emergency contact if the parents or guardian cannot be contacted when practicable
- o Notify the regulatory authority within 24 hours.

# REPORTING PROCEDURES

Any anaphylactic incident is considered a serious incident (Regulation 12).

- o staff members involved in the incident are to complete an *Incident, Injury, Trauma and Illness*\*Record\*, which will be countersigned by the Nominated Supervisor of the Service at the time of the incident
- o ensure the parent or guardian signs the *Incident, Injury, Trauma and Illness Record*
- o if necessary, a copy of the completed form will be sent to the insurance company





- o a copy of the Incident, Injury, Trauma and Illness Record will be placed in the child's file
- o the Nominated Supervisor will inform the OSHC Service management about the incident
- o the Nominated Supervisor or the Approved Provider will inform Regulatory Authority of the incident within 24 hours through the <u>NQA IT System</u> (as per regulations)
- o staff will be debriefed after each anaphylaxis incident and the child's individual anaphylaxis medical Action Plan and risk minimisation plan evaluated, including a discussion of the effectiveness of the procedure used
- o staff will discuss the exposure to the allergen and the strategies that need to be implemented and maintained to prevent further exposure.

#### **EDUCATING CHILDREN ABOUT ALLERGIES AND ANAPHYLAXIS**

Allergy awareness is regarded as an essential part of managing allergies in childcare services. Our Service will:

- talk to children about foods that are safe and unsafe for the anaphylactic child. They will use terms such as 'this food will make \_\_\_\_\_ sick', 'this food is not good for \_\_\_\_\_', and '\_\_\_\_ is allergic to that food'.
- help children understand the seriousness of allergies and the importance of knowing the signs and symptoms of allergic reactions (e.g., itchy, furry, or scratchy throat, itchy or puffy skin, hot, feeling funny)
- with older children, staff will talk about strategies to avoid exposure to unsafe foods, such as taking
  their own plate and utensils, having the first serve from commercially safe foods, and not eating
  food that is share
- encourage empathy, acceptance and inclusion of the allergic child.

#### CONTACT DETAILS FOR RESOURCES AND SUPPORT

Australasian Society of Clinical Immunology and Allergy (ASCIA) provides information on allergies. The ASCIA Action Plans for Anaphylaxis are device-specific and must be completed by a medical practitioner. https://www.allergy.org.au/health-professionals/anaphylaxis-resources/ascia-action-plan-for-anaphylaxis Current ASCIA Action Plans are the 2023 versions, however previous versions (2022 and 2021) are still valid for use throughout 2023. There are three types of ASCIA Action Plans for Anaphylaxis and a First Aid Plan. The 2023 plans have been reformatted for the first time in 20 years.

o ASCIA Action Plan (RED) are for children or adults with medically confirmed allergies, who have been prescribed adrenaline autoinjectors (Plans are available for EpiPen® or Anapen®)





- o ASCIA Action Plan for Drug (Medication) Allergy (DARK GREEN) for children or adults with medically confirmed drug (medication) allergies, who have NOT been prescribed adrenaline injectors.
- o ASCIA First Aid Plan for Anaphylaxis (ORANGE)

<u>Allergy & Anaphylaxis Australia</u> is a non-profit support organisation for families with food anaphylactic children. Items such as storybooks, tapes, auto-injection device trainers and other resources are available for sale from the Product Catalogue on this site.

Allergy & Anaphylaxis Australia also provides a telephone support line for information and support to help manage anaphylaxis: Telephone 1300 728 000.

Royal Children's Hospital Anaphylaxis Advisory Support Line provides information and support about anaphylaxis to school and licensed children's services staff and parents. Telephone 1300 725 911 or Email: <a href="mailto:anaphylaxisadviceline@rch.org.au">anaphylaxisadviceline@rch.org.au</a>

#### CONTINUOUS IMPROVEMENT/REFLECTION

Through our staff meeting, improvement and reflection of this policy is discussed through practice, and refined where necessary through OSHC Sub Committee and School Council.

#### **POLICY REVIEW AND APPROVAL**

Policy last reviewed	Nov 2022
Tabled for School Council	June 2024
Consultation	School Council
Approved by	LPS OSHC / Principal
Next scheduled review date	June 2025

